

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| S16 | 1 | proxy same ((publish) with source\$1) and @ad<="20011016" | USPAT | OR | OFF | 2005/08/25 16:07 |
| S17 | 2 | proxy same ((publish) with data\$1) and @ad<="20011016" | USPAT | OR | OFF | 2005/08/25 16:09 |
| S18 | 14 | search\$3 with ((time or date)near1 condition\$1 with data\$1) and @ad<="20011016" | USPAT | OR | OFF | 2005/08/25 16:11 |
| S19 | 0 | proxy with ((time or date)near1 condition\$1 with data\$1) and @ad<="20011016" | USPAT | OR | OFF | 2005/08/25 16:11 |
| S20 | 1 | proxy with ((time or date)near1 condition\$1 with data\$1) and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/25 16:11 |
| S21 | 1 | ("6029175").PN. | USPAT; USOCR | OR | OFF | 2005/09/01 15:38 |
| S22 | 1 | ("6,477,543").PN. | USPAT; USOCR | OR | OFF | 2005/09/01 16:09 |
| S23 | 15265 | "709"/.ccls. and (((proxy or intermediar\$1)or server) with synchroni\$5 with convert\$4 or transform\$3 or forma\$5)and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 16:11 |
| S24 | 23 | "709"/.ccls. and (((proxy or intermediar\$1)or server) with synchroni\$5 with (convert\$4 or transform\$3 or forma\$5))and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 16:43 |
| S25 | 33 | "709"/.ccls. and (((proxy or intermediar\$1)or server) same synchroni\$5 with (convert\$4 or transform\$3 or forma\$5))and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 16:43 |
| S26 | 0 | "709"/.ccls. and (((proxy or intermediar\$1)or server) same synchroni\$5 near2 (convert\$4 near2 format\$1))and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 16:44 |
| S27 | 0 | "709"/.ccls. and (gateway) same (synchroni\$5 near2 (convert\$4 near2 format\$1))and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 16:45 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S28 | 1 | "709"/.cccls. and (synchroni\$5 near2 (convert\$4 near2 format\$1))and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 16:49 |
| S29 | 1 | "709"/.cccls. and (synchroni\$5 near4 (convert\$4 near2 format\$1))and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 16:49 |
| S30 | 5 | "709"/.cccls. and (synchroni\$5 with(convert\$4 near2 format\$1))and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:16 |
| S31 | 520 | "709"/.cccls. and (synchroni\$5 with(upda\$3\$4))and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 18:28 |
| S32 | 467 | "709"/.cccls. and (synchroni\$5 with(upda\$3))and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 18:28 |
| S33 | 0 | "709"/.cccls. and (proxy with synchroni\$5 with(upda\$3))and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 18:28 |
| S34 | 0 | "709"/.cccls. and (intermediary with synchroni\$5 with(upda\$3))and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 18:29 |
| S35 | 1 | "709"/.cccls. and (synchroni\$5 with(upda\$3) with interval near1 time)and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 18:29 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S36 | 1 | "709"/.ccls. and (synchroni\$5 with(upda\$3) same interval near1 time)and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 18:29 |
| S37 | 10 | "709"/.ccls. and (synchroni\$5 with(upda\$3) same interval)and @ad<="20011016" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/01 18:30 |
| S38 | 1 | ("20020087651").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/09/02 08:37 |
| S39 | 9148 | updat\$3 with (delet\$3 or new)near1 (record\$1 or data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 08:39 |
| S40 | 53 | (synchron\$5 with updat\$3 with (delet\$3 or new)near1 (record\$1 or data)) and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 08:41 |
| S41 | 3 | "709"/.ccls. and (synchroni\$5 with(convert\$4 near2 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:20 |
| S42 | 3 | "709"/.ccls. and (synchroni\$5 with(convert\$4 near4 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:20 |
| S43 | 4 | "709"/.ccls. and (synchroni\$5 with(convert\$4 with format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:30 |
| S44 | 536 | (synchroni\$5 with(convert\$4 with format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:31 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S45 | 97 | (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:31 |
| S46 | 0 | proxy with (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:31 |
| S47 | 0 | gateway with (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:31 |
| S48 | 0 | proxt same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:32 |
| S49 | 0 | proxy same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:32 |
| S50 | 0 | gateway same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:32 |
| S51 | 7 | switch same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:32 |
| S52 | 4 | switch with (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:33 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S53 | 0 | router with (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:33 |
| S54 | 0 | intermedia\$4 with (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:33 |
| S55 | 97 | (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:37 |
| S56 | 7 | controller\$ with(synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:35 |
| S57 | 0 | server\$1 with(synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:37 |
| S58 | 0 | server\$1 same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:37 |
| S59 | 0 | server same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:37 |
| S60 | 36 | server same (synchroni\$5 with(convert\$4 withformat\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:37 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S61 | 3 | server same (synchroni\$5 with(convert\$4 with format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:38 |
| S62 | 4 | translator same (synchroni\$5 with(convert\$4 with format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:40 |
| S63 | 0 | console with (synchroni\$5 with(convert\$4 with format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:41 |
| S64 | 97 | (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 10:10 |
| S65 | 1 | (synchroni\$5 with(convert\$4 near1 format\$1))and mobile\$1 and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 09:42 |
| S66 | 8 | (synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 10:11 |
| S67 | 0 | proxy with(synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 10:10 |
| S68 | 0 | proxy same(synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 10:10 |

| | | | | | | |
|-----|---|--|---|----|-----|------------------|
| S69 | 0 | gateway with(synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 10:11 |
| S70 | 0 | gateway same(synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 10:11 |
| S71 | 0 | proxy same(synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 10:11 |
| S72 | 0 | (synchroni\$5 near1 server) with(convert\$4 near1 format\$4)and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 10:12 |
| S73 | 1 | (sync\$10 near1 server) with(convert\$4 near1 format\$4)and @ad<="20001218" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/02 11:31 |
| S74 | 1 | ("6243705").PN. | USPAT; USOCR | OR | OFF | 2005/09/02 11:31 |